



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name: Favoman

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Disinfectant

1.3. Details of the supplier of the safety data sheet

Company name: FAVODENT Karl Huber GmbH
Street: Greschbachstr. 7
Place: D-76229 Karlsruhe
Telephone: +49 (0) 721 626 86-0
Telefax: +49 (0) 721 626 86-66
e-mail: info@favodent.com
Contact person: Apoth. Wolf Telephone: +49 (0) 721 626 86-0
e-mail: info@favodent.com
Internet: www.favodent.com
Responsible Department: Zentrale

1.4. Emergency telephone number:

+49 (0) 721 626 86-0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F - Highly flammable, Xi - Irritant

R phrases:

Highly flammable.

Irritating to eyes.

Vapours may cause drowsiness and dizziness.

GHS classification

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

2.2. Label elements

Hazardous components which must be listed on the label

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

Pictograms: GHS02-GHS07





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 2 of 8

Hazard statements

- H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P233 Keep container tightly closed.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of waste according to applicable legislation.

2.3. Other hazards

PBT: not applicable. vPvB: not applicable

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	10-25 %
67-63-0	F - Highly flammable, Xi - Irritant R11-36-67	
603-117-00-0	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
201-993-5	2-hydroxybiphenyl, 2-phenylphenol (ISO), biphenyl-2-ol	<2,5 %
90-43-7	Xi - Irritant, N - Dangerous for the environment R36/37/38-50	
604-020-00-6	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Aquatic Acute 1; H319 H335 H315 H400	

Full text of R and H phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated, saturated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of inhalation of product / fumes, affected person should be moved into fresh air and kept still. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Seek medical advice immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 3 of 8

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO₂). alcohol resistant foam. Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

No further Information available.

5.3. Advice for firefighters

Special protective equipment for firefighters: Protective clothing. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Residues of fire and contaminated water have to be disposed according to the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8. Provide adequate ventilation. Personal protection equipment: see section 8 Keep away from unprotected people. Do not touch or tread spilled product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains. Spilled product must not leak into the ground. Release of big amounts may be harmful to the environment. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Use only noncombustible absorbents. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

See chapter 8. Wear personal protection equipment (see chapter 8). Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Further information on handling

Empty containers may contain hazardous residues of the product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 4 of 8

Advice on storage compatibility

Keep away from:
Food and feedingstuffs
oxidizing agents

Further information on storage conditions

Keep away from:
Frost
Heat
Moisture

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not necessary

Protective and hygiene measures

Only wear fitting, comfortable and clean protective clothing.
Avoid contact with skin, eyes and clothes.
Wash hands and face before breaks and after work and take a shower if necessary.

Eye/face protection

Suitable eye protection:
Tightly sealed goggles.

Hand protection

Suitable gloves type:
Butyl caoutchouc (butyl rubber) DIN EN 374
NR (natural rubber, natural latex)

Skin protection

Protective clothing.

Respiratory protection

Not necessary

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: clear
Odour: like alcohol

Test method

Changes in the physical state

Initial boiling point and boiling range: 78 °C
Flash point: 20 °C



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 5 of 8

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:	2 vol. %
Upper explosion limits:	15 vol. %
Ignition temperature:	425 °C
Vapour pressure: (at 20 °C)	59 hPa
Density (at 20 °C):	0,89 g/cm ³
Water solubility:	completely miscible
Partition coefficient:	Not determined.
Viscosity / dynamic:	Not determined.
Viscosity / kinematic:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solvent content:	Organic solvents: 60 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

No dangerous reactions by handling and stock-keeping according to the guidelines.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further Information available.

10.5. Incompatible materials

No further Information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

SECTION 12: Ecological information

12.2. Persistence and degradability

No further Information available.

12.3. Bioaccumulative potential

No further Information available.

12.4. Mobility in soil

No further Information available.

12.5. Results of PBT and vPvB assessment

PBT: not applicable. vPvB: not applicable

12.6. Other adverse effects

No further Information available.

SECTION 13: Disposal considerations



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 6 of 8

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.
Containers emptied of residues have to be recycled. Containers emptied of residues may still contain hazardous material. Containers not emptied should be removed harmlessly according to the actual disposal guidelines.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol, propan-2-ol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Other applicable information (land transport)

E2

Inland waterways transport (ADN)

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol, propan-2-ol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L

Other applicable information (inland waterways transport)

E2

E1

Marine transport (IMDG)

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol, propan-2-ol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Special Provisions:	274



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 7 of 8

Limited quantity: 1 L
EmS: F-E, S-D

Other applicable information (marine transport)

E1
E2

Air transport (ICAO)

14.1. UN number: UN 1987
14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ethanol, propan-2-ol)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3
Special Provisions: A3 A180
Limited quantity Passenger: 1 L
IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

E1
Passenger-LQ: Y344
E2
Passenger-LQ: Y340
Passenger-LQ: Y342
Passenger-LQ: Y841
Passenger-LQ: Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Favoman

Print date: 14.04.2014

Page 8 of 8

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Full text of R phrases referred to under Sections 2 and 3

- | | |
|----------|--|
| 11 | Highly flammable. |
| 36 | Irritating to eyes. |
| 36/37/38 | Irritating to eyes, respiratory system and skin. |
| 50 | Very toxic to aquatic organisms. |
| 67 | Vapours may cause drowsiness and dizziness. |

Full text of H statements referred to under Sections 2 and 3

- | | |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |

Further Information

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product. It is not to be considered as a guarantee of the product's properties.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)